Diagnose a GSit region denial without opening claim protection

Protected areas can intentionally reject sitting or posing. Prove which action is denied and which protection integration owns the decision before changing region permissions that also protect blocks, vehicles or other interactions.

Prepare the test

Choose a safe flat test area with two ordinary players. Separate sitting, clicking a seat and clicking another player because they can follow different permissions and protection checks.

Make the change

1. Use an ordinary test account and record the region, action and message shown. Repeat the same sitting or pose action just outside the protected area, keeping the player, seat material and nearby space otherwise comparable.
2. Identify whether the location uses WorldGuard, GriefPrevention, PlotSquared or another integration supported by the installed GSit release. Inspect overlapping region priorities and membership before assuming the most visible region is the only rule.
3. For WorldGuard, compare the documented GSit action flags with the relevant underlying interaction requirements. Review the sit, playersit, pose or crawl action that actually failed rather than enabling every flag across the world.
4. Apply the narrow intended region policy and retest as an ordinary player. Separately confirm that protected building and unrelated interaction restrictions remain effective, using harmless checks that do not modify another player’s claim.

Check the result

The chosen GSit action should work only where your area policy permits it, with claim protection still intact. Check both a region member and a non-member if the intended behaviour depends on membership.

If the test fails

Restore the original flags if the experiment broadens access or fails to change the action. Investigate another overlapping rule or integration before granting a global bypass or setting build access to allow for everyone.

The maintainer documents that some GSit WorldGuard actions also depend on ride, interact or build permissions. That dependency is a reason to review the full policy, not an instruction to open all three flags globally.

References and related help

Check the official GSit documentation against your installed release before using a command or setting from another version.

- Set up GSit poses and restrict player interactions
- Find Minecraft logs and send useful troubleshooting details

---

Revision #1
Created 2026-11-09 16:36:25 UTC by CloudExa Hosting Admin
Updated 2026-11-09 16:36:25 UTC by CloudExa Hosting Admin