Limit a HuskHomes warp to the intended player group

A warp can exist correctly while remaining unavailable to the group that needs it. Restricted warps add a destination-specific permission check to the ordinary warp command. This is useful for staff rooms or rank areas, provided the test includes a player who should be refused.

Before you change settings

Choose a harmless test destination and two non-operator accounts: one allowed and one denied. Record the warp’s exact name and save permission-group settings. Confirm that permission-restricted warps are supported and enabled as documented for your installed release.

Follow the request through the plugin

1. Check the allowed account has the required command permission for the action being tested. Listing, travelling, editing and deleting are separate actions; granting travel should not silently grant management.
2. Grant the narrow destination permission `huskhomes.warp.` followed by the exact warp name to the intended group. Inspect inherited permissions for unintended broad access before testing.
3. Use the allowed account to list warps and travel to the destination. Run the corresponding list and travel attempts with the denied account, recording the response each receives.
4. Repeat from another relevant world or server if your permissions use contexts. Reconnect after group changes and confirm the public player instructions contain only commands that the intended group can actually use.

Confirm the intended result

The permitted member should list and use the destination, while the denied member should remain excluded under the configured restriction. Check another public warp too, so the change has not accidentally removed basic travel for ordinary players.

If the test fails

If both accounts succeed, inspect inherited destination access and whether restrictions are active. If neither succeeds, check command access before renaming the warp. Creating another warp with the same destination does not repair a permission mismatch.

Restore the saved group entries and restriction setting if access widens unexpectedly. Retain the original warp and coordinates. Ask support to inspect the effective permissions rather than publishing a restricted location or granting broad administrative access.

Sources and related help

- HuskHomes maintainer reference 1
- HuskHomes maintainer reference 2
- Set up personal homes and teleport requests with HuskHomes

Revision #1
Created 2026-11-09 16:36:27 UTC by CloudExa Hosting Admin
Updated 2026-11-09 16:36:27 UTC by CloudExa Hosting Admin